



**WE HELP  
TO MAKE  
THE LIFE OF  
ANIMALS  
BETTER**

2023



**FARMETO**<sup>™</sup>



# table of content

IMMUNODEF+

IMMUNOLYSO

IMMUNOME+

IMMUNOVITAL-C

LIVROVITAL+

RESPIMETO

RESPIRATOL+

RESPIROMETO

VIGORTOX

VITALMEGA

TOXBIND+

# IMMUNODEF+ SUPPLEMENT

## COMPOSITION

Each 1 gram Contains:

Radix Phellodendri

Radix Scutellariae

(Yeast Peptide 7000 mg/kg)

UDL. Is an extract from 5 natural plants

## DESCRIPTION

Immunodef+ is a highly effective veterinary supplement that harnesses the power of natural plant extracts to promote optimal gut health and enhance immunity in animals. This carefully formulated blend, including Radix Phellodendri, Radix Scutellariae, and yeast peptide, works synergistically to support a healthy gut microflora, combatting harmful bacteria such as E. coli, Salmonella, and Clostridium. Additionally, it exhibits antiviral and antipyretic (anti-fever) properties, further bolstering the overall health of the host animal.

## INDICATIONS

- Demonstrates strong activity against E. coli, promoting improved gut health and benefiting gut microflora.
- Effective against Salmonella, Clostridium, and other gram-negative bacteria.
- Enhances the host animal's immune response.
- Exhibits antiviral and antipyretic properties.

## DOSAGE

For Broilers, Layers, and Breeders:

Prevention: Add 150 grams to 1000 liters of water for 6 hours a day.

Treatment: Add 200-300 grams to 1000 liters of water for 5 to 7 days.

## WITHDRAWAL PERIOD

None.



# IMMUNOLYSO SUPPLEMENT

## COMPOSITION

Each 1 Litre contains:

Lysozyme	550 gm
Vitamin E	110 gm
Vitamin C	55 gm
Olive oil	12 gm

## DESCRIPTION

Immunolyso is a highly effective nutritional supplement that combines a well-balanced blend of vitamins and lysozyme, an antimicrobial enzyme. This unique formulation supports the overall well-being of animals and helps maintain optimal levels of micronutrients necessary for their healthy development. It is particularly beneficial for young, convalescent, weak, orphaned, or animals recovering from infectious diseases. The included plant extracts have a calming effect, improving the performance of farm animals.

## INDICATIONS

- Improves the immune response.
- Prevents and treats stress caused by vaccination, diseases, transport, high humidity, high temperatures, or extreme temperature changes.
- Prevents or treats deficiencies of vitamins E or C in farm animals, including rickets, myoskeletal deformities, and decreased fertility in males.
- Supports convalescence.
- Enhances egg production and hatchability during pregnancy, lactation, or laying. It also aids in the development of fetuses and newborn animals.

## ADMINISTRATION

Oral use in drinking water.

Add 1 ml to 2 litres of drinking water for 3 to 5 days.

## WITHDRAWAL PERIOD

None.



# IMMUNOME+ SUPPLEMENT

## COMPOSITION

Each 1 Litre contains:

Nucleotide	25 gm	Echinacea	60 gm
Lysozyme	250 gm	Garlic	120 gm
Omega 3	35 gm	Vitamin E	25 gm
Vitamin C	25 gm	Zinc	6 gm

## DESCRIPTION

Immunome+ is a well-balanced nutritional supplement that combines essential vitamins and lysozyme, an antimicrobial enzyme. It supports the overall well-being of animals and helps maintain optimal levels of micronutrients necessary for their healthy development. This supplement is particularly beneficial for young, convalescent, weak, orphaned, or animals recovering from infectious diseases. The included plant extracts have a calming effect, improving the performance of farm animals.

## INDICATIONS

- Enhances immune response.
- Prevents and treats stress caused by vaccination, diseases, transport, high humidity, high temperatures, or extreme temperature changes.
- Prevents or treats deficiencies of vitamins E or C in farm animals, including rickets, myoskeletal deformities, and decreased fertility in males.
- Supports convalescence.
- Promotes improved egg production and hatchability during pregnancy, lactation, or laying. It also aids in the development of fetuses and newborn animals.

## DOSAGE AND ADMINISTRATION

Oral use in drinking water.

Add 1 ml to 2 liters of drinking water for 3 to 5 days.

## WITHDRAWAL PERIOD

None.





# IMMUNOVITAL-C SUPPLEMENT

## COMPOSITION

Each 1 gram Contains:

Lysozyme	550 mg
Vitamin E	110 mg
Vitamin C	110 mg
Selenium	12 mg

## INDICATIONS

- Naturally extracted from chicken egg albumen.
- Plays essential roles in the animal body, and their inclusion in the diet reduces stress and supports optimal growth in farm animals.

## DOSAGE

In feed:

Broilers: Add 75-150 grams per ton of feed.

In drinking water:

1st week: Add 30 grams per 1000 broilers.

2nd week: Add 50 grams per 1000 broilers.

3rd week: Add 100 grams per 1000 broilers.

## WITHDRAWAL PERIOD

None.



# LIVROVITAL+ SUPPLEMENT

## COMPOSITION

Each 1 Litre contains:

Silymarin	7,000 mg	Beta-glucan	3,000 mg
Mannan Oligosaccharide	3,000 mg	Yeast Extract	55,000 mg
Fructo Oligosaccharide	35,000 mg	Lactic acid	55,000 mg
L-Carnitine	85,000 mg	Citric acid	60,000 mg
Phosphoric acid	120,000 mg	Tartaric acid	12,000 mg
Propylene glycol	45,000 mg	L-aspartic acid	12,000 mg

## DESCRIPTION

Livrovital+ is formulated to provide comprehensive liver protection and support. The key ingredients work synergistically to maintain liver health and enhance overall immunity. Silymarin helps stabilize liver cell membranes and protects against lipid peroxidation. Beta-glucan stimulates immune responses and activates key immune cells. Mannan Oligosaccharide prevents the colonization of harmful bacteria and neutralizes mycotoxins. Fructo Oligosaccharide promotes the secretion of mannose binding protein, reducing stress on the liver. Organic acids maintain gut health, improve nutrient utilization, and support optimal feed conversion ratio. Yeast Extract binds and detoxifies mycotoxins while promoting intestinal integrity and immune function.

## INDICATIONS

- Adsorbs, inactivates, or neutralizes mycotoxins.
- Enhances immunity and antibody titers following vaccination.
- Improves feed conversion ratio (FCR).
- Supports increased production of meat and/or eggs.

## DOSAGE AND ADMINISTRATION

Shake well before each use.

Poultry:

Add 1 ml to 2-4 liters of drinking water daily for 3-5 days.

During periods of stress:

Add 0.5-1.0 ml to 1 liter of drinking water daily for 3-5 days.

Or as directed by a registered veterinary physician.

## WITHDRAWAL PERIOD

None.





# RESPIMETO

## SUPPLEMENT

### COMPOSITION

Each 1 Litre contains:

Menthol	450,000 mg
Bromhexine HCl	220,000 mg

### INDICATIONS

- Anti-inflammatory, antimicrobial, anti-stress, and antioxidant properties.
- Provides symptomatic relief against cough, sneezing, blocked nasal passages, and upper respiratory tract issues, reducing mortality.
- Facilitates nasal decongestion and clears larynx and pharynx for improved breathing.

### DOSAGE

Administer for 3-5 days.

Poultry: Add 1 ml to 4 liters of drinking water.

Calves: Administer 1.5 ml per liter per day per head.

Sheep: Administer 1+5 ml per liter per day per head.

Cows: Administer 0.5 ml per liter per day per head.

### WITHDRAWAL PERIOD

None.



# RESPIRATOL+

## SUPPLEMENT

### COMPOSITION

Each 1 Litre contains:

Peppermint Oil	75 gm
Eucalyptus Oil	55 gm
Cinnamon Oil	65 gm
Echinacea	65 gm
Vitamin A	55,000 I.U.
Thyme Oil	45 gm
Ginger Oil	55 gm
Propylene Glycol	110 gm
Riboflavin	6 gm

### DESCRIPTION

Respiratol+ is a powerful veterinary supplement specially formulated to improve respiration and air passage in animals. This unique blend combines the benefits of peppermint oil, eucalyptus oil, cinnamon oil, echinacea, vitamin A, thyme oil, ginger oil, propylene glycol, and riboflavin. It effectively reduces mucus inflammation, aids bronchial inhalation, and enhances the animal's resistance to respiratory issues.

### INDICATIONS

- Improves respiration and air passage by reducing mucus inflammation.
- Facilitates bronchial inhalation and enhances resistance to respiratory challenges.

### DOSAGE

For 3-5 days.

Poultry: Add 1 ml to 4 liters of drinking water.

Calves: Administer 1.5 ml per liter per day per head.

Sheep: Administer 1.5 ml per liter per day per head.

Cows: Administer 0.5 ml per liter per day per head.

### WITHDRAWAL PERIOD

None.



# VIGORTOX

## SUPPLEMENT

### COMPOSITION

Each 1 Litre contains:

Silymarin	6,500 mg
Mannan Oligosaccharides	30,000 mg
Fructo Oligosaccharides	32,000 mg
L-Carnitine	85,000 mg
Phosphoric Acid	120,000 mg
Propylene Glycol	45,000 mg
Beta Glucan	3,000 mg
Yeast Extracts	55,000 mg
Lactic Acid	90,000 mg
Citric Acid	60,000 mg
Tartaric Acid	12,000 mg
L-Aspartic Acid	20,000 mg

### DESCRIPTION

Vigortox is a veterinary supplement that combines a range of beneficial ingredients to support optimal growth, performance, and stress management in animals. The unique formulation helps improve the immune system, enhance weight gain, and increase feed efficiency. It is specially designed to promote overall vitality and well-being.

### INDICATIONS

- Enhances growth and performance.
- Reduces the impact of stress on animals.
- Supports the immune system.
- Improves weight gain and feed efficiency.

### DOSAGE

For Oral Use Only.

Add 1 ml to 4 liters of drinking water or as advised by a veterinarian.

### WITHDRAWAL PERIOD

None.



# VITALMEGA

## SUPPLEMENT

### COMPOSITION

Each 1 Litre contains:

Sorbitol	400 gm	DL-Methionine	45 gm
Silymarin	60 gm	Choline Chloride	55 gm
Boldo/Artichoke	25 gm	L-Threonine	35 gm
Vitamin B1	25 gm	L-Carnitine	25 gm
Vitamin B2	12 gm	Magnesium Sulphate	110 gm
Nicotinamide	25 gm	Calcium Propionate	25 gm
Calcium Penthienate	12 gm	Formic acid	25 gm
Lysine	55 gm	Phosphoric acid	25 gm

### DESCRIPTION

Vitalmega is a veterinary supplement formulated to prevent nutritional deficiencies and support the treatment of animals suffering from debilitating or deficiency conditions. It aids in antibiotic and chemotherapeutic drug treatments and aids in the convalescence of infectious diseases.

### INDICATIONS

Vitalmega is specifically designed to support vital body functions and improve liver metabolism, detoxification, secretion, and productivity. It enhances liver function against toxic effects, chemical drugs, and various toxins. Vitalmega promotes rapid regeneration of liver tissues and cells, restoring liver functions and reducing the effects of mycotoxins.

### DOSAGE AND ADMINISTRATION

Route of Administration: Oral

Poultry:

Add 100 ml to 4000 liters of drinking water or as advised by a veterinarian.

Calves, goats, and sheep:

Administer 5 ml twice daily per 100-200 kg body weight for 3-5 days.

### WITHDRAWAL PERIOD

None.





# TOXBIND+

## FEED ADDITIVE

### COMPOSITION

Active Ingredients:	
Yeast Cell Wall:	40%
Aluminum Bentonite:	15%
Magnesium Bentonite:	15%
Sodium Bentonite:	20%
Potassium Bentonite:	10%

### DESCRIPTION

ToxBind+ is a highly effective toxin binder specifically formulated for poultry farming. It is designed to prevent or reduce the harmful effects of toxins found in feed or the environment. This premium blend of ingredients, including yeast cell wall, aluminum bentonite, magnesium bentonite, sodium bentonite, and potassium bentonite, acts to bind and eliminate toxins, promoting optimal health and performance in poultry.

### INSTRUCTIONS FOR USE

Unless advised otherwise by a veterinarian:  
Thoroughly mix ToxBind+ with poultry feed at a recommended inclusion rate of 1 kilogram per tonne of feed.  
Ensure uniform distribution of the toxin binder throughout the feed.  
Provide the treated feed to poultry as their regular diet for the duration recommended by a veterinarian or poultry nutritionist.

### WITHDRAWAL PERIOD

None.

### PACKAGE

25Kg Bag.

### STABILITY

Shelf Life: 3 years

### SAFETY

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.
- Keep away from direct exposure to sunlight.







**FARMETO**<sup>TM</sup>



**[www.farmetomalaysia.com](http://www.farmetomalaysia.com)**

NO.6 JALAN RAJA NALA 10, OFF JALAN  
BUKIT KAPAR 2, 42200 KAPAR, KLANG  
SELANGOR DARUL EHSAN. MALAYSIA.