

ADDVET

# PRODUCTS CATALOG

Supplement &  
Herbal Bioproduct

[addvet.net](http://addvet.net)



# ADDVET

## PRODUCTS CATALOG

Supplement & Herbal Bioproduct



[addvet.net](http://addvet.net)

## COMPANY PROFILE

### Who we are

Established in 2014 with a capital of one million dollars, ADDVET is a Jordanian company specialized in manufacturing veterinary drugs.

### What we offer


A variety of veterinary medicines Powders & Liquids orals, including Antibiotics, Vitamins, Amino Acids, Anticoccidial drugs & Premixes.

### Our Mission

A variety of veterinary medicines Powders & Liquids orals, including Antibiotics, Vitamins, Amino Acids, Anticoccidial drugs & Premixes.

### Our Vision

To improve the world feed and food business and be part of the next generation global feed chain.



[addvet.net](http://addvet.net)



# SUPPLEMENT

AD3E SUPER  
AD3E+C  
AD3E+CK  
ADD-C100  
ADDCHOLIN+  
ADD-E120  
ADD-K3100  
ADDLYTE  
ADDPower  
ADDVITA+  
ADD-VITAB+  
AMINOVITA  
CALPHOS+  
LIVERVET  
MOULDOUT



addvet.net

**ADD**vet  
Animal Health

2

3

FOR VETERINARY USE ONLY.

# AD3E SUPER

Promotion of growth rates, improvement of feed efficiency and strengthens performance.

## Composition

Each 1 Litre contains:

Vitamin A	100 000 000 I.U.
Vitamin D3	20 000 000 I.U.
Vitamin E	20 000 mg

## Indications

- Prevention of vitamin insufficiencies in poultry.
- Strengthen resistance to the diseases.
- Improvement of egg production and hatchability.
- Promotion of growth rates and improves feed efficiency.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 100 - 150 kg body weight for 3 - 5 days.

1L



SUPPLEMENT

# AD3E+C

Promotion of growth rates, improvement of feed efficiency and strengthens immunity.

## Composition

Each 1 Litre contains:

Vitamin A	10,000,000 I.U.
Vitamin D3	2,000,000 I.U.
Vitamin E	10,000 mg
Vitamin C	20,000 mg

## Indications

- Prevention and control of stress conditions.
- Prevention of vitamin insufficiency in poultry.
- Strengthen of resistance to the diseases.
- Improvement of egg production and hatchability.
- Promotion of growth rates and improves feed efficiency.

## Dosage and Administration

Poultry: 1 Litre / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 75 - 150 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

4

# AD3E+CK

Growth rates promotion, improvement of feed efficiency and strengthens animal performance.

## Composition

Each 1 Litre contains:

Vitamin A	25 000 000 I.U.
Vitamin D3	2 000 000 I.U.
Vitamin E	10 000 mg
Vitamin C	20,000 mg
Vitamin K3	20,000 mg
Distillate water up to	1000 ml

## Indications

- Prevention of vitamin insufficiencies in poultry.
- Strengthen resistance to the diseases.
- Improvement of egg production and hatchability.
- Promotion of growth rates and improves feed efficiency.
- Improvement of the immune system and against heat stress.
- Plays a role in blood clotting mechanisms.

## Dosage and Administration

Poultry: 500 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 100 - 150 kg body weight for 3 - 5 days.



1L

FOR VETERINARY USE ONLY.

5



# ADD-C100

Reliable for stress condition of high temperature and better immune system function.

## Composition

Each 1 Litre contains:

Vitamin C	100,000 mg
Distillate water up to	1000 ml

Vitamin C is vital for proper immune system activity as it acts as an enzymatic cofactor for eight different enzymes. It also has an antioxidant activity for the proper operation of several physiological functions

## Indications

- For heat stress cases caused by extreme high temperatures.
- For better immune system against various diseases.
- Improves feed intake, weight gain, and egg production.

## Dosage and Administration

Poultry: 1 Litre / 2000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 100 - 150 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

6

# ADDCHOLIN+

Enhance and improve the liver function of the poultry and preventing perosis.

## Composition

Each 1 Litre contains:

Choline chloride	22 000 mg
L-Carnitine	20 000 mg
Betaine	80 000 mg
Magnesium sulfate	50 000 mg

## Indications

- Prevention of perosis and liver enlargement in chicks helps in utilization and outward movement of fat from the liver and prevent from a condition known as fatty liver.
- Growth promotion and strengthening the immune system.
- Improves production performance and increases intracellular water retention.
- Magnesium sulfate increases the water level in the intestine.

## Dosage and Administration

Poultry: 500 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 100 - 150 kg body weight for 3 - 5 days.



1L

FOR VETERINARY USE ONLY.

7

# ADD-E120

Powerful antioxidant for crazy chick disease, exudative diathesis and muscular dystrophy.

## Composition

Each 1 Litre contains:

Vitamin E	120.000 mg
Sodium selenite	60 mg
Distillate water up to	1000 ml

## Indications

- Vitamin E, is an antioxidant for normal neurological functions.
- Selenium is essential for glutathione peroxidase enzyme composition that protects cells from destroying oxidising agents.
- For Vitamin E and Selenium deficiency diseases such as encephalomalacia, muscular dystrophy, and exudative diathesis.
- For stress conditions, hatchability and infertility problems.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian  
 Calves, goats and sheep:  
 Twice daily 5 ml per 75 - 150 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
 STORE PRODUCT IN A COOL PLACE.

8

# ADD-K3100

A blood clotting mechanism for bleeding disorders due to Vitamin K3 deficiency.

## Composition

Each 1 Litre contains:

Vitamin K3	100.000 mg
Distillate water up to	1000 ml

## Indications

Vitamin K3 is essential for synthesis of prothrombin, thus it plays an important role in clotting mechanisms and also has a protective effect against coccidiosis.

The Deficiency of vitamin K3 may cause an increase of blood spots in eggs, haemorrhages in the legs and breast and a failure of blood clotting.

## Dosage and Administration

Poultry: 100 ml / 1000 Litres of drinking water or as advised by a veterinarian  
 Calves, cattle, goats and sheep:  
 1 ml per 50 - 100 kg body weight for 3 - 21 days.



1L

FOR VETERINARY USE ONLY.

9

# ADDLYTE

Important role as an electrolyte to regulate cellular functions and maintain osmotic balance.

## Composition

Each 1 Litre contains:

Ammonium chloride	20.000 mg	Cobalt sulphate	3.000 mg
Magnesium sulphate	20.000 mg	Potassium iodite	1.000 mg
Copper sulphate	10.000 mg	Sodium selenite	50 mg
Zinc sulphate	15.000 mg	Vitamin C	5.000 mg
Iron sulphate	5.000 mg		

## Indications

- Balanced formula for dehydration and electrolytes imbalance.
- For stress situations such as diarrhea and high temperature.
- Provides osmotic balance and detoxification in body.

## Dosage and Administration

Poultry: 1 Litre / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 75 - 150 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

10

# ADDPOWER

Functions as an energy activation nutrient to assist tired lethargic animals and dehydration.

## Composition

Each 1 Litre contains:

Dextrose	400.000 mg
Vitamin B1	5.000 mg
Vitamin B2	200 mg
Vitamin B6	2.000 mg
Vitamin B12	5 mcg
Distillate water up to	1000 ml

## Indications

- Maintenance of fluid balance by adjusting the water intake.
- Replace lost fluids and provide carbohydrates to the body.
- Regulation of acid-base balance by maintaining blood pH.
- Helps in perosis cases and animals in lactation.
- Helps in stress cases and hatchability problems.

## Dosage and Administration

Poultry: 500 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 10 ml per 100 - 150 kg body weight for 3 - 5 days.



1L

FOR VETERINARY USE ONLY.

11

# MOULDOUT

Binds mycotoxins, removing them from the animal's digestive tract and improve growth.

## Composition

Each 1 Litre contains:

Yeast extracts	200 000 mg	Citric acid	70 000 mg
Phosphoric acid	70 000 mg	Betaine	80 000 mg
Lactic acid	70 000 mg		

## Indications

- Suppression of proliferation of intestinal harmful bacteria by reducing pH in the gastrointestinal tract.
- Growth promotion, better weight gain, and improvement of feed efficiency.
- Prevention of dietary diarrhea by promoting digestion.
- Improve feed consumption and feed conversion rate.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

12

# ADD-VITAB+

Function as a nutritional source of B-Complex vitamin deficiencies in animals.

## Composition

Each 1 Litre contains:

Vitamin B1	2 000 mg	Vitamin K3	5 000 mg
Vitamin B2	3 500 mg	Vitamin B12	12 mg
Vitamin PP	22 000 mg	Folic acid	500 mg
Vitamin B5	13 000 mg	Choline chloride	20 000 mg
Vitamin B6	6 000 mg	Betaine	30 000mg

## Indications

- Helps in retarded growth during antibiotic treatment.
- Improve body defenses during stress conditions.
- Improve feed conversion.
- In stress conditions (caused by vaccination, diseases, transport, high humidity, high temperatures, or extreme temperature changes).

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



1L

FOR VETERINARY USE ONLY.

13

# AMINOVITA

Balanced formula of vitamins and amino acids for the general health welfare of poultry.

## Composition

Each 1 Litre contains:

Vitamin A	10.000.000 I.U.	Threonine	550 mg
Vitamin D3	2.000.000 I.U.	Tryptophane	300 mg
Vitamin E	2.000 mg	Valine	300 mg
Vitamin B1	1.000 mg	Calcium Pantothenate	1.000 mg
Vitamin B2	100 mg	D-Panthenol	2 820 mg
Vitamin B6	800 mg	Choline Chloride	70 000 mg
Vitamin B12	5 mg	Betaine	3 000 mg
Biotin	100 mg	Lysine	6 000 mg
Vitamin C	5.000 mg	Methionine	3 000 mg
Vitamin K3	2.000 mg	Threonine	1 500 mg
Nicotinic acid	1.800 mg	Tryptophan	250 mg
Choline chloride	1.350 mg	Sorbitol	50 000 mg
Folic acid	75 mg	Sodium propionate	4 200 mg
Methionine	2.000 mg	Purified water up to	1 Litre
Lysine	1.000 mg		

## Indications

- Prevents and treats various vitamins and amino acid deficiencies.
- Achieves faster growth rate and improves weight gain plus feed conversion.
- Helps in conditions of stress like heat temperature or diseases.
- Stimulates the metabolism and increases egg productivity.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

14

# CALPHOS+

Function to develop stronger animal bones development and increase milk production.

## Composition

Each 1 Litre contains:

Phosphorus	110 000 mg	Zinc	5 000 mg
Magnesium	22 000 mg	Copper	200 mg
Calcium	28 000 mg		

## Indications

- Maintain good shell quality and strong bone development.
- High levels of phosphorus in the blood will inhibit the mobilization of calcium from bones.
- Prevent calcium deficiency in laying hens results in reduced shell quality and subsequently cause osteoporosis.
- Increase milk production and faster growth.

## Dosage and Administration

Poultry: 500 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 150 kg body weight for 3 - 5 days.



1L

FOR VETERINARY USE ONLY.

15



# LIVERVET

Effective in fatty liver syndrome and improves the animals' overall liver function.

## Composition

Each 1 Litre contains:

Dextrose	100.000 mg	Niacine	30.000 mg
Vitamin B1	200 mg	Methionine	20.000 mg
Vitamin B6	200 mg	Vitamin E	20.000 mg
Vitamin B12	30 mcg	Vitamin C	10.000 mg
Choline chloride	70.000 mg	Distillate water up to	1000 ml

## Indications

- Prevents fatty liver syndrome and improves liver functions.
- Improves carbohydrate metabolism for the proper functioning of nervous tissue, cardiac muscle, and enzyme activities.
- An Important role in metabolism, growth rate and feed utilization.
- Stimulates regeneration of hepatic cells and better productivity.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



1L

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

16

# ADDVITA+

Combination of well-balanced formula for vitamins and amino acids deficiencies in animals.

## Composition

Each 1 Litre contains:

Vitamin A	15 000 000 I.U.	D-Panthenol	2 820 mg
Vitamin D3	1 000 000 I.U.	Choline Chloride	70 000 mg
Vitamin E	6 000 mg	Betaine	3 000 mg
Vitamin B1	1 500 mg	Lysine	6 000 mg
Vitamin B2	1 660 mg	Methionine	3 000 mg
Vitamin B6	1 000 mg	Threonine	1 500 mg
Vitamin B12	10 mg	Tryptophan	250 mg
Niacin	15 000 mg	Sorbitol	50 000 mg
Biotin	900 mg	Sodium propionate	4 200 mg
Folic acid	200 mg	Purified water up to	1 Litre

## Indications

- Formulation for improved growth rate, feed utilization and egg production.
- Helps in vitamins and amino acids deficiencies that causes bad health.
- Improve resistance to various stress conditions (caused by vaccination, diseases, transport, high humidity, high temperatures or extreme temperature changes).

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.

## Withdrawal times

None




1L

FOR VETERINARY USE ONLY.

17

# HERBAL BIOPRODUCT

H-DURIN  
H-STRESS  
H-RESPI  
H-TONIC  
H-IMMUN  
H-VIRAL



addvet.net

**ADD**vet  
Animal Health

## H-IMMUN

Multiple properties as antioxidant, improve immune system and body performance.

### Composition

Each 1 Litre contains:

Herbal extracts (Garlic Oregano)	
Vitamin E	5,000 mg
Vitamin B12	1,000 mcg
Betaine	30,000 mg
Methionine	30,000 mg
Magnesium sulfate	15,000 mg
Distillate water up to	1,000 ml

### Indications

- › Stimulates the immune system.
- › Increase the grow-weight in broilers.
- › Increases egg production.
- › Increases the appetite and feed intake.
- › Achieve better absorption of feed.
- › Improves the endogenous digestive enzyme secretion.

### Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



# H-DURIN

Maintain optimal kidney health and natural diuretics and removes metabolic wastes.

## Composition

Each 1 Litre contains:

Herbal Extracts (Valerian, Apple Vinegar)	
Ammonium Chloride	60,000 mg
Vitamin C	10,000 mg
Potassium Chloride	10,000 mg
Natrium Chloride	10,000 mg
Sorbitol	100,000 mg
Distillate water up to	1,000 ml

## Indications

- › Natural solution to gout and maintain optimal kidney health.
- › Removes metabolic waste and excess water and washes out toxins.
- › Increases immunity and prevents the formulation of calculi.
- › Helps prevent urinary tract infections, maintains mineral balance, and cleans the blood.
- › Flushes kidney to remove unwanted deposited elements.

## Dosage and Administration

Poultry: 500 ml / 1000 Litres of drinking water or as advised by a veterinarian  
Calves, goats and sheep:

Twice daily 10 ml per 100 - 200 kg body weight for 3 - 5 days.



KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

20

# H-VIRAL

To maintain osmotic balance and as an energy activation nutrient to assist tired animals.

## Composition

Each 1 Litre contains:

Herbal extracts (Olive Leaves)	
Dextrose	400,000 mg
Sorbitol	100,000 mg
Betaine	120,000 mg
Methionine	60,000 mg

## Indications

- › Maintenance of fluid balance by adjusting the water intake.
- › Balanced formula for dehydration and electrolytes imbalance.
- › Regulation of acid-base balance by maintaining blood pH.
- › Provides osmotic balance and detoxification in the body.
- › Promotes growth rate, increases appetite and feed intake.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian  
Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



FOR VETERINARY USE ONLY.

21

# H-RESPI

As an ultimate aid to effective breathing and to improve the respiratory system in poultry.

## Composition

Each 1 Litre contains:

Eucalyptus	40 000 mg
Menthol	40 000 mg
Thymol	20 000 mg
Bromhexine	20 000 mg
Biotin	900 mg
Folic acid	200 mg
Methionine	30 000 mg
Betaine	30 000 mg

## Indications

- › Vital role in reducing mucus accumulation and discharging out from respiratory cavities.
- › Clears air passage in lungs to improve respiration.
- › Improves resistance to various respiratory infections.
- › Helps to promote growth rate and feed conversion.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.

22

# H-TONIC

To maintain the welfare and proper functionalities of poultry liver against toxic effects.

## Composition

Each 1 Litre contains:

Herbal extracts (Milk Thistle, Cynara extract)	
Choline Chloride	40,000 mg
Sorbitol	10,000 mg
Lysine	30,000 mg
Biotin	1,500 mg
Vitamin E	20,000 mg
Magnesium Sulphate	10,000 mg

## Indications

H-TONIC is a special product designed for helping the proper functions of the liver in metabolism, detoxification, secretion, and productivity. and acts as hepatoprotective and hepatoregenerative. It protects the liver against toxic effects, chemical drugs, and various toxins. H-TONIC achieves rapid regeneration of liver tissues and cells, restore the liver functions and reduces the effects of mycotoxins.

## Dosage and Administration

Poultry: 250 ml / 1000 Litres of drinking water or as advised by a veterinarian

Calves, goats and sheep:

Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



FOR VETERINARY USE ONLY.

23

# H-STRESS

Reliable for heat stress conditions due to extreme high temperatures or humidity.

### Composition

Each 1 Litre contains:  
Herbal extracts (Oregano, Cinnamon)  
Vitamin C 5,000 mg  
Betaine 30,000 mg  
Methionine 30,000 mg

### Indications

- › Useful in cases of stress caused by: vaccinations, transportation, diseases, high temperatures, or extreme temperatures changes, high humidity.
- › Strengthen resistance to the diseases.
- › Promotion of growth rates and improves feed efficiency.

### Dosage and Administration

Poultry: 500 ml / 1000 Litres of drinking water or as advised by a veterinarian  
Calves, goats and sheep:  
Twice daily 5 ml per 100 - 200 kg body weight for 3 - 5 days.



---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

[addvet.net](http://addvet.net)

KEEP OUT OF REACH OF CHILDREN.  
STORE PRODUCT IN A COOL PLACE.





# SUPPLEMENT & HERBAL

addvet.net



KEEP OUT OF REACH OF CHILDREN

STORE PRODUCT IN A COOL PLACE

**ADD**vet  
Animal Health

26

27

**ADD**vet  
Animal Health

[addvet.net](http://addvet.net)



## Contact

Al-Zarqa Industrial Zone [1Z4], Jordan.  
[info@addvet.net](mailto:info@addvet.net)

